



(ALL PRICES EXCLUDE GST)

DRAMALIGHT lighting systems

Isaiah 60:1- Arise, Shine, for your light has come

- CONCERTS
- EVENTS
- STAGE SHOWS
- COMPANY EVENTS/FUNCTIONS
- EXPO'S
- CHURCH EVENT
- OUTREACHES
- PRODUCTIONS/SHOWS
- BANDS



2012/2013 EQUIPMENT RENTAL LIST



(ALL PRICES EXCLUDE GST)

STANDARD FIXTURES

1ST Day

Days After

Profiles (Focusable Spotlight, soft or hard edged, Gobo projection)



650 watt Zoomspot
1000 watt Profile

10.00
12.50

1.00
1.25

Par Cans (Sealed beam reflector lamp)



Par 64 1000 watt Black / Silver

15.00

1.00

Flood Lights (cyc or crowd floods)



500 watt Halogen Flood
1000 watt Halogen Floods



8.00
10.00

0.80
1.00

Pin Spots (Sealed beam reflector lamp)



30 watt Narrow Beam

5.00

0.50



(ALL PRICES EXCLUDE GST)

Controllers

Behringer Eurolight LC2412 DMX 512 out 12/24

35.00

6.00



The EUROLIGHT LC2412 is a professional 24-channel DMX lighting console with:

- 24 preset channels assignable to 512 DMX channels.
- 120 scenes are storable in 10 banks, and there is an integrated chaser with up to 650 steps featuring sync-to-bass beat plus a frequency-dependent sound-to-light function.
- Crossfade time is freely selectable, allowing for super-smooth scene fades, and there are two additional, multi-functional channels for special effects (e.g. fog machine, color changer etc.).
- You get ultra-flexible fading functions for manual and automatic operation and intuitive solo and channel flash functions. Our extremely effective preview function allows "hidden" memory and chaser checks—even during live performances. The LC2412 also features dimmer control via DMX or analog output (0/+10 V)
- MIDI interface for cascading of two LC2412s (master/slave setup) and a PCMCIA card slot for storing of up to 25 complete settings PCMCIA card not supplied).
- For added comfort, there are illuminated display/controls and BNC lamp socket for easy operation in dark stage environments.
- The whole unit is extremely ruggedly constructed, and its steel casing ensures long life even under the most demanding conditions. A rack-mounting kit for installation in standard 19" racks is included, and the LC2412 is of course manufactured under ISO9000 certified management system.

LightFactory Console Software and USB Open DMX Widget 2048 Channels

80.00

4.00



The unique PC based Lighting control software

General Description: ENTTEC Lightfactory is a unique PC based lighting control system. Offering a no compromise approach of traditional dimmer control and fully featured moving light support.

Most PC based control systems focus on moving light support but lack the many features that make traditional lighting desks standout. Lightfactory closes that gap.

LightFactory was designed with the idea that every lighting engineer, operator or designer could own their own control desk. One desk they are completely familiar with, one desk that works for every situation and one desk they can rely on every time.

Features:

- Up to 10 DMX universes (5120 channels)
- Up to 2000 lighting fixtures
- Traditional command line interface eg: "1+5 thru 20 @ 55 fade 20"
- Unlimited cues, cuelists, shows
- 3 different effects engine (timeline based, chase ,attribute based)
- SMPTE and MIDI Timecodes
- Full fixture library
- Audio input with full FFT signal analysis
- In built real time scheduler





(ALL PRICES EXCLUDE GST)

Martin Lightjockey^{DMX} 512 PC Based Control System
PCI or USB system

100.00

5.00



LightJockey 2 is a PC based DMX lighting-control-system consisting of a software package and range of DMX hardware interfaces.

LightJockey 2 comes with a large fixture library, user friendly graphic functionality, advanced shape generator for automated movement programming, as well as all the benefits of the Windows environment such as resizing of windows and drag and drop functionality.

Functions include a Solid Beam Virtual Visualizer, a visualization simulator capable of creating realistic, solid, 3D beams.

This simulator allows you to create virtual visualizations off-site.

LightJockey 2 interfaces with WinampTM* to play a multitude of digital audio files including MP3.

LightJockey 2.0 includes audio CD ROM capability as well. It also supports

SMPTE and MIDI time code with suitable interface. A show-saver backup

feature ensures that your shows will not be lost.

enabling control of up to 100 fixtures, and 512 DMX channels.

- Fixture library: All Martin (DMX) fixtures, user-definable fixture profiles
- for non-Martin fixtures (more than 100 profiles included), generic DMX profiles
- Control: Graphical control of all fixture parameters
- Visualization: Integrated solid beams Offline Visualizer for programming fixtures offline
- Macros: Pant and Tilt, relative or absolute movement, shape generator with different shapes and delay styles
- Cue list time code synchronization (CLTCS): Internal timer, including 24-hour clock
- CLTCS: Audio CD time code from CD-ROM drive
- CLTCS: Digital Audio (MP3, Wav, etc.) time code using Winamp TM
- CLTCS: MIDI Time code, SMPTE with suitable SMPTE/MTC interface

Martin Direct Access 2532 Controller
(works with RS232 Serial In to Martin Lightjockey Controller)

20.00

5.00



The 2532 direct access controller provides faster and easier use of LightJockey and ProScenium controller, Perfect in LightJockey club installations or in ProScenium multimedia installations.



Intelligent Lights

GENI OBY-3 Moving Head Profile

120.00

30.00



The OBY-3 has combined all the latest technology to give you a dazzling array of lighting beam effects.

Smooth and silent revolving, 570° pan, 270° tilt.

Automatic electronic sensor to zero, knock the unit and it remembers the last position.

11 sharp dichroic colours and white

7 easily replaced gobos

Various glass gobos are available

Rotating Gobo wheel, rotating 3 facet prism

Focus

1-7Hz strobe

auto electronic reset

Bright MSD 250W discharge lamp

USITT DMX-512



(ALL PRICES EXCLUDE GST)

Intelligent Lights

ACME Winner Scanner (MH-640S)

60.00

12.00



A compact and lightning quick scanner, the MH-640S is perfect for dance parties and raves.

5 Channel DMX Controllable
Sound to Light Activated
Separate motorised colour and gobo wheels
15 gobos plus shutter
11 colours plus white
Strobe adjacent colours, gobo's or both.
175° Pan, 83° tilt
ELC 250W Halogen
Fan Cooling

Geni Nimbus-2 Scanner (NS2-3)

50.00

10.00



The Nimbus-2 scanner is compact power. Its efficient ellipsoidal reflector concentrates lumen output from the economical Halogen 250W lamp. The result is bright light, clear colors, sharp focus - in a compact scanner. Separate color and gobo wheels provide 81 color/gobo combinations. And modular design means that gobo wheels can be replaced in an instant. Get the convenience of slide-out lamp replacement, standard 3-pin XLR signal connections, and instant upgrades, all in a rugged aluminum case. With its color/gobo variation, light output, quality, and convenience, Nimbus-2 is the envy of the small scanner world. Small but mighty, Nimbus-2 is the compact with impact.

- 9 gobos
- 8 dichroic colors + white
- Separate effect wheels for overlay
- Strobe effect 1-4 fps
- High-output ellipsoidal reflector
- USITT DMX512 protocol
- 170deg pan 90deg tilt
- Smooth micro-stepping
- Modular design convenience
- Axial fan cooling
- Standard 3-pin XLR connectors
- AR & IR coated optics
- 4 high-torque precision stepper motors
- Built-in self test function
- Easy to use spot focus function
- Built-in DMX signal termination
- Invert pan/tilt function for convenience



(ALL PRICES EXCLUDE GST)

Martin CX-2 Colour Changer

45.00

8.00



Martin's new versatile CX-2 color changer, the first in the new CX-series, is the ultimate easy-to-use color changer for venues of all types. CX-2 is adding loads of colors and excitement.

- 250W halogen lamp
- 15 colors + 2 split colors + white
- 10 gobos
- 5 beam angles
- Frost effect
- Strobe effect
- Digital dimmer (0-100%)
- DMX or stand-alone mode

iSolution iColor 4

50.00

10.00




A professional color mixer comes with red, green, blue and yellow heat-resistant dichroic mirrors. Features:

DMX 4 channels: Color, Chase, Speed, and Dimmer.
 With 32 preset colors and various chase patterns.
 Great pre-programmed lighting shows under Master/Slave linkage triggered by music, giving the best performance.
 Easy controller / foot controller CA-8 / CA-8F in Master / Slave mode for Immediate exciting lighting shows.
 Fan cooled with a floor standable bracket.

Specification:

Power supply: AC 120V ~ 60Hz / 230V ~ 50Hz
 Bulb : J type 300W x 4 at 120V or 500W x 4 at 230V
 Size : 450 x 270 x 175 mm
 Weight: 7.0 kgs



Color Changer 4*

60.00

10.00



A professional color mixer comes with red, green, blue and yellow heat-resistant dichroic mirrors. Features:

DMX 4 channels: Red, Blue, Green, Yellow, Speed.
 With 32 preset colors and various chase patterns.
 Great pre-programmed lighting shows under Master/Slave linkage triggered by music, giving the best performance.
 Easy 4 Channel Manual Controller R,G,B,Y, Speed for Immediate exciting lighting shows.
 Fan cooled with a floor standable bracket.

Specification:

Power supply: AC 120V ~ 60Hz / 230V ~ 50Hz / 15A
 Bulb : J type 300W x 4 at 120V or 500W x 4 at 230V (1300W)
 Size : 450 x 270 x 175 mm
 Weight: 7.0 kgs



(ALL PRICES EXCLUDE GST)

NJD Spectre 1500W DMX Colour Changer

40.00

6.00



The Spectre provides an almost limitless choice of colours by mixing three 500 Watt lamps (red, green and blue) through dichroic filters. The internal microprocessor interprets the users requirements and calculates what percentage of each colour is needed to create the colour wash desired.

Colour - Black
Dimensions - 250 x 220 x 220mm
Weight - 5.4kg

LED Lighting

Chauvet Slim Par 64 RGB

30.00

5.00



- LED par can designed for any application where a compact wash light is needed
- Compact and low-profile fixture can fit in most places where other lights can't
- Compatible for use with the Satellite™ battery-operated system
- Great for quiet installations thanks to its 100% silent operation and lack of moving parts
- Create static colors and RGB color mixing without a DMX controller
- Automated programs generate great eye-catching effects
- Many user-configurable settings provide stand-alone versatility
- Power linking saves time running cables and extension cords
- Trigger built-in automated programs via master/slave or DMX
- DMX channels: 3 or 7
- DMX connectors: 3-pin
- Light source: 180 (60 red, 60 green, 60 blue) LEDs
- Beam angle: 14°
- Field angle: 23°
- Illuminance: 1,241 @ 2 m
- Power linking: 40 units @ 120 V / 60 units @ 230 V
- Input voltage: Auto-ranging 100-240 VAC 50/60 Hz
- Power and current: 32 W, 0.3 A @ 120 V 60 Hz
- Power and current: 36 W, 0.2 A @ 230 V 50 Hz
- Weight: 2.8 lbs (1.3 kg)
- Size: 9.7 x 11.1 x 2.5 in (246 x 282 x 64 mm)
- Approvals: CE, MET

LED Fairy Lights 10m Length

10.00

1.00



10m of LED Fairy Lightings with 8 Pattern Chase Controller.
Available in Red, Green, Blue & White.

Low power consumption: 7W. The item very durable and hardy and Long life, high brightness, easy bending, high-low-temperature resistance characteristics high intensity .



(ALL PRICES EXCLUDE GST)

Effects Equipment

GENI 3000W Giga Strobe (DMX Controllable)

30.00

6.00



Giga Strobe features a 3000 watt flash and adjustable 1-12 flash/second rate The flash rate and intensity can be adjusted with the Knobs or Controller. DMX 512 Controllable (Flash Rate and Intensity) Tempered glass front. Easy bulb replacement Ideal where you need big strobe power. Perfect for those lightning effects

GENI 2700W Golden Strobe (DMX Controllable)

30.00

6.00



Giga Strobe features a 2700 watt flash and adjustable 1-12 flash/second rate The flash rate and intensity can be adjusted with the Knobs or Controller. DMX 512 Controllable (Flash Rate and Intensity) Tempered glass front. Easy bulb replacement Ideal where you need big strobe power. Perfect for those lightning effects

Martin Atomic 3000 Strobe

40.00

7.00



The Atomic 3000 DMX is a powerful, high-impact strobe with 3000 watts of ultra-bright, high-impact strobing. It features continuous operation and a unique, auto fade blinder effect that will blow away any crowd.

Features:

- 3000 watt strobe with 5600 K color temperature
- Continuous blinder effect with auto fade
- Smart integrated heat control eliminates cool down time
- Variable flash duration, intensity & rate
- Preprogrammed special effects
- Fan Cooling
- Includes hanging bracket and long-life Xenon lamp (#XOP-7)
- DMX or stand-alone mode
- Auto-range power supply (90-120 V, 50/60 Hz)
- Size: 16.7"L x 9.7"w x 9.5"h. Wt. 16.5 lbs.



(ALL PRICES EXCLUDE GST)

Antari Z-300II Series Fazer

60.00

10.00



This great unit from Antari combines the best features of a fog machine and hazer at an incredibly affordable price!

Features:

- 700 Watt Heater.
- The reliability of a fog machine with the silent operation of a hazer.
- Constant output.
- Uses standard fog liquid.
- Steady haze, no bursts of fog.
- Variable volume.
- Multi-function timer remote controller included.
- No air compressor required.
- Adjustable levels to suit any room.
- ECO advanced thermal control system
- Z-6 remote control included

Specifications

- Fuse: 230V/3.15A
- Warm-up time: 4 minutes
- Output: 2,000 cuft. / min.
- Tank capacity: 1.3 liters

Longman F-2000 2000W DMX /Remote Smoke Machine

80.00

10.00



Features:

- 2000 Watt Heater.
- Uses standard fog liquid.
- Variable volume.
- Multi-function timer remote controller included.
- Adjustable levels to suit any room.
- ECO advanced thermal control system
- Z-6 remote control included
- DMX 512 Interface

Specifications

- Fuse: 230V/15A
- Warm-up time: 8 minutes
- Output: 2,000 cuft. / min.
- Tank capacity: 10 liters

Martin Magnum Pro 2000 1700W DMX /Remote Smoke Machine

80.00

10.00



Features:

- 1700 Watt Heater.
- Uses standard fog liquid.
- Variable volume.
- Multi-function timer remote controller included.
- Adjustable levels to suit any room.
- ECO advanced thermal control system
- Remote control included
- DMX 512 Interface

Specifications

- Fuse: 230V/15A
- Warm-up time: 8 minutes
- Output: 2,000 cuft. / min.
- Tank capacity: 10 liters



(ALL PRICES EXCLUDE GST)

Antari F-80 Small Smoke Machine with 2.6m cable remote/ or 20m RF remote

40.00

8.00



Features:
350 Watt Heater.
Uses standard fog liquid.
ECO advanced thermal control system
RF Radio Remote control included

Specifications
Fuse: 230V/5A
Warm-up time: 8 minutes

Tank capacity: 2 liters

Mirrorballs (Small - 20cm, Medium - 30cm, Large - 50cm)
Mirrorball Rotors (included with mirrorball)

10.00-50.00

2.50 - 10.00



Cables

15 x 1 Phase Extension Leads 10A 6,5,4,3,2m
Extension leads 1m to 30m
Multibox 4 ways (2 switchable, 4 non-switchable)
Multibox 16m
Multicore 5 way

3.50 0.50
3.50 0.25
1.00 0.20
5.00 0.50
15.00 1.50

DMX Data Cable

3 PIN XLR 110 ohm Data
1 x 30m
1 x 15.5m
4 x 15m
1 x 7.5m
4 x 5m
2 x 3 Pin XLR Data Pin Swaps 3-2/2-3
2 x 120 ohm terminators (1 male / 1 female)
XLR Cables 5 Pin and 3 Pin
DMX Opto-isolated Data Splitter

3.50 0.50

1.00 0.10
1.00 0.10
3.50 0.50
20.00 1.00

Hook Clamps & Safety Chains

Safety Chains
Hook Clamps



(ALL PRICES EXCLUDE GST)

Rigging / Truss / Pushups

Lighting Stand, Extends to 3.25m

15.00

1.00



Lighting Stand, Extends to 3.25m, 2 x Side Bars
Height: 1450mm - 3250mm
Arm Length: 38mm x 1250mm x 4
Load: 60 Kg Aluminium.
(recommend using sandbags to weight the base these can be provided on request)

Sandbags

(2.5kg black nylon stitched)

POA

POA

